

Rozładowanie stałym prądem

typ	1.90V/ogniwo - rozładowanie w [A]									1.87V/ogniwo - rozładowanie w [A]								
	10'	15'	30'	1h	2h	3h	5h	8h	10h	10'	15'	30'	1h	2h	3h	5h	8h	10h
4 OPzV 200	138	132	110	88	58	46	31	22	18	157	148	128	95	66	50	34	24	20
5 OPzV 250	173	165	138	110	73	57	39	28	23	196	185	160	119	82	63	43	30	25
6 OPzV 300	208	198	166	132	88	68	47	33	28	235	222	192	143	98	76	52	36	30
5 OPzV 350	208	198	166	135	96	78	57	40	34	238	223	196	155	109	86	63	44	35
6 OPzV 420	215	203	179	149	109	90	68	48	40	261	244	215	176	124	100	75	52	42
7 OPzV 490	218	211	192	163	122	103	79	56	47	284	264	234	198	140	114	87	61	49
6 OPzV 600	224	218	204	176	136	117	92	65	55	304	282	252	220	157	129	101	71	60
8 OPzV 800	346	330	305	265	194	164	124	87	76	470	424	363	318	222	181	137	96	78
10 OPzV 1000	397	383	361	313	235	202	154	110	96	485	452	406	369	266	222	171	118	98
12 OPzV 1200	448	436	416	361	276	240	184	132	115	500	480	449	420	309	262	204	140	118
12 OPzV 1500	561	547	497	429	334	290	214	156	140	654	619	557	485	369	315	241	172	147
16 OPzV 2000	676	647	597	514	400	329	250	186	158	884	842	760	608	466	384	289	213	184
20 OPzV 2500	811	789	741	657	500	412	312	232	198	993	957	895	760	583	480	362	266	230
24 OPzV 3000	1094	1067	1022	837	650	573	427	309	261	1124	1094	1044	930	709	614	478	340	288

typ	1.83V/ogniwo - rozładowanie w [A]									1.80V/ogniwo - rozładowanie w [A]								
	10'	15'	30'	1h	2h	3h	5h	8h	10h	10'	15'	30'	1h	2h	3h	5h	8h	10h
4 OPzV 200	200	180	145	106	73	55	37	25	21	224	199	154	114	76	57	38	26	21
5 OPzV 250	243	216	181	132	91	68	47	32	26	277	248	192	142	95	71	48	32	26
6 OPzV 300	292	259	217	158	109	82	56	37	31	332	298	230	170	114	85	57	38	31
5 OPzV 350	299	267	223	174	122	95	69	45	36	340	308	243	188	130	100	71	46	37
6 OPzV 420	359	320	267	209	147	114	82	54	44	409	370	292	225	156	120	85	55	45
7 OPzV 490	398	355	291	244	171	133	96	63	51	453	410	323	263	182	140	99	64	52
6 OPzV 600	403	357	296	252	181	146	112	78	64	457	412	332	272	198	156	115	82	66
8 OPzV 800	551	515	447	352	252	200	151	100	81	600	590	501	382	270	211	154	102	82
10 OPzV 1000	658	601	526	431	312	249	187	122	100	729	702	588	464	338	264	193	126	103
12 OPzV 1200	771	703	591	507	372	298	224	148	121	865	806	687	550	407	318	232	151	123
12 OPzV 1500	801	737	658	552	413	344	266	178	152	889	833	737	620	461	372	284	186	155
16 OPzV 2000	1009	975	882	737	550	459	355	249	203	1186	1125	1002	827	615	496	379	256	207
20 OPzV 2500	1334	1284	1122	988	700	573	445	310	250	1451	1413	1274	1079	771	615	469	312	258
24 OPzV 3000	1601	1541	1347	1186	839	687	534	367	305	1742	1696	1528	1295	925	738	562	373	309

typ	1.75V/ogniwo - rozładowanie w [A]									1.70V/ogniwo - rozładowanie w [A]								
	10'	15'	30'	1h	2h	3h	5h	8h	10h	10'	15'	30'	1h	2h	3h	5h	8h	10h
4 OPzV 200	261	230	171	122	79	58	39	27	21	296	257	195	124	79	58	39	28	21
5 OPzV 250	302	287	213	152	98	73	49	33	26	345	304	244	155	99	73	49	33	26
6 OPzV 300	362	344	256	182	118	87	58	40	31	414	365	293	186	119	88	59	40	31
5 OPzV 350	365	347	275	204	139	105	72	50	37	418	374	309	215	144	107	73	51	37
6 OPzV 420	438	417	330	245	167	126	86	60	45	493	449	371	258	172	129	87	61	45
7 OPzV 490	472	448	366	286	195	147	101	67	52	517	498	411	301	201	150	102	68	52
6 OPzV 600	477	454	388	302	219	168	118	85	66	521	504	425	331	232	175	121	86	66
8 OPzV 800	740	693	580	422	293	223	157	113	82	856	794	660	459	306	231	159	115	82
10 OPzV 1000	887	823	681	515	370	282	197	131	103	1018	942	765	564	389	292	199	135	103
12 OPzV 1200	956	903	790	614	450	342	237	165	123	1112	1037	869	665	474	354	240	166	123
12 OPzV 1500	1011	995	874	697	521	407	294	197	155	1208	1147	984	773	564	431	301	206	155
16 OPzV 2000	1372	1326	1165	929	695	543	391	276	207	1610	1539	1312	1030	752	574	401	284	207
20 OPzV 2500	1685	1658	1510	1203	863	668	482	317	258	2013	1912	1640	1351	926	703	489	324	258
24 OPzV 3000	2022	1989	1813	1444	1035	802	579	378	309	2415	2293	1993	1621	1112	843	587	391	309

Rozładowanie stałym prądem

typ	1.65V/ogniwo - rozładowanie w [A]									1.60V/ogniwo - rozładowanie w [A]								
	10'	15'	30'	1h	2h	3h	5h	8h	10h	10'	15'	30'	1h	2h	3h	5h	8h	10h
4 OPzV 200	325	277	203	125	79	59	39	28	21	356	299	212	125	80	59	39	28	21
5 OPzV 250	379	329	253	156	99	73	49	33	26	420	360	265	156	100	73	49	33	26
6 OPzV 300	455	395	304	187	119	88	59	40	31	504	432	318	187	120	88	59	40	31
5 OPzV 350	464	414	338	224	146	109	73	51	37	510	452	355	228	147	109	73	51	37
6 OPzV 420	557	496	406	268	175	130	87	61	45	612	542	426	273	177	131	87	61	45
7 OPzV 490	607	550	450	313	204	152	102	68	52	673	601	472	319	206	153	102	68	52
6 OPzV 600	611	561	497	356	239	179	121	86	66	677	624	522	369	241	180	121	86	66
8 OPzV 800	930	860	712	494	314	235	159	115	82	1059	975	745	511	317	236	159	115	82
10 OPzV 1000	1101	1020	858	611	398	296	199	135	103	1252	1143	908	633	401	298	199	135	103
12 OPzV 1200	1225	1131	990	726	485	359	240	166	123	1398	1287	1061	754	487	360	240	166	123
12 OPzV 1500	1332	1245	1062	852	593	446	301	206	155	1536	1437	1194	897	606	453	301	206	155
16 OPzV 2000	1769	1665	1421	1136	790	595	401	284	207	2048	1916	1592	1195	808	604	401	284	207
20 OPzV 2500	2210	2080	1812	1491	966	723	489	324	258	2560	2395	1990	1562	982	731	489	324	258
24 OPzV 3000	2653	2497	2131	1789	1159	868	587	391	309	3072	2874	2388	1874	1178	877	587	391	309

Rozładowanie stałą mocą

typ	1.90V/ogniwo - rozładowanie w [W]								1.87V/ogniwo - rozładowanie w [W]							
	3'	5'	10'	15'	20'	30'	60'	90'	3'	5'	10'	15'	20'	30'	60'	90'
4 OPzV 200	283	271	252	239	230	212	165	135	341	323	289	268	252	235	185	149
5 OPzV 250	354	339	315	299	288	265	207	168	426	404	361	335	315	294	232	186
6 OPzV 300	404	386	360	341	328	302	236	192	485	461	412	382	359	335	264	212
5 OPzV 350	425	406	379	359	346	318	248	202	511	485	433	402	378	353	278	223
6 OPzV 420	457	441	410	390	379	357	274	230	526	488	457	426	404	381	312	252
7 OPzV 490	533	515	478	455	442	417	320	268	590	569	534	496	472	444	364	294
6 OPzV 600	558	532	500	477	458	420	334	271	642	611	570	535	508	487	431	348
8 OPzV 800	933	869	783	737	702	653	577	537	1086	1029	921	849	801	738	610	544
10 OPzV 1000	958	897	816	773	740	695	625	580	1122	1061	960	892	841	780	660	600
12 OPzV 1200	983	926	850	809	779	738	673	624	1157	1092	1000	935	881	822	710	657
12 OPzV 1500	1021	968	900	862	837	802	746	688	1211	1140	1059	999	942	885	785	742
16 OPzV 2000	1285	1233	1166	1128	1103	1067	1009	977	1843	1746	1649	1552	1455	1358	1187	1065
20 OPzV 2500	1606	1541	1457	1411	1378	1334	1261	1221	2304	2183	2061	1940	1819	1698	1484	1331
24 OPzV 3000	1927	1849	1749	1693	1654	1601	1514	1465	2765	2619	2474	2328	2183	2037	1781	1597

typ	1.83V/ogniwo - rozładowanie w [W]								1.80V/ogniwo - rozładowanie w [W]							
	3'	5'	10'	15'	20'	30'	60'	90'	3'	5'	10'	15'	20'	30'	60'	90'
4 OPzV 200	397	376	349	312	289	259	205	163	442	420	378	349	320	279	218	172
5 OPzV 250	496	470	436	390	361	323	257	204	552	525	472	436	400	348	273	215
6 OPzV 300	565	536	497	445	412	369	293	233	629	599	538	497	456	397	311	245
5 OPzV 350	595	564	523	469	433	388	308	245	662	630	567	523	480	418	327	258
6 OPzV 420	612	578	539	476	454	417	354	282	721	687	602	545	502	451	375	302
7 OPzV 490	714	674	607	555	530	486	413	329	841	802	702	636	586	526	438	352
6 OPzV 600	779	768	717	671	624	560	482	416	842	816	785	753	705	630	498	449
8 OPzV 800	1167	1136	1066	991	921	829	677	579	1239	1192	1124	1067	1006	892	727	608
10 OPzV 1000	1295	1245	1152	1066	992	895	739	645	1412	1364	1274	1203	1134	1009	808	686
12 OPzV 1200	1423	1354	1238	1140	1063	961	801	711	1584	1536	1424	1339	1263	1125	889	763
12 OPzV 1500	1615	1518	1368	1251	1171	1060	894	810	1843	1795	1649	1542	1455	1300	1011	880
16 OPzV 2000	2086	2018	1940	1843	1765	1649	1406	1200	2328	2241	2153	2086	1989	1892	1564	1296
20 OPzV 2500	2607	2522	2425	2304	2207	2061	1758	1500	2910	2801	2692	2607	2486	2364	1955	1620
24 OPzV 3000	3128	3026	2910	2765	2648	2474	2109	1800	3492	3361	3230	3128	2983	2837	2346	1944

Rozładowanie stałą mocą

typ	1.75V/ogniwo - rozładowanie w [W]								1.70V/ogniwo - rozładowanie w [W]							
	3'	5'	10'	15'	20'	30'	60'	90'	3'	5'	10'	15'	20'	30'	60'	90'
4 OPzV 200	485	473	429	390	370	313	235	182	543	515	473	430	393	343	245	186
5 OPzV 250	607	592	536	488	462	392	293	227	679	644	591	538	491	428	306	233
6 OPzV 300	692	675	611	556	517	446	334	259	774	734	674	613	560	488	349	266
5 OPzV 350	728	710	643	585	555	470	352	273	815	772	709	646	589	514	367	280
6 OPzV 420	787	754	698	630	578	494	391	325	914	866	786	727	671	567	411	335
7 OPzV 490	918	880	814	735	674	576	457	380	1066	1010	917	848	783	662	479	391
6 OPzV 600	945	935	884	835	807	728	551	482	1103	1050	982	938	874	806	596	492
8 OPzV 800	1464	1432	1328	1242	1187	1041	783	648	1625	1559	1478	1384	1284	1155	827	674
10 OPzV 1000	1642	1597	1484	1391	1324	1181	897	744	1807	1745	1642	1546	1444	1307	971	788
12 OPzV 1200	1819	1761	1639	1540	1462	1322	1010	840	1989	1932	1806	1707	1603	1460	1115	902
12 OPzV 1500	2086	2008	1872	1764	1668	1533	1181	984	2263	2212	2052	1950	1843	1688	1330	1073
16 OPzV 2000	2596	2525	2435	2347	2289	2134	1803	1452	2761	2716	2638	2551	2483	2335	1965	1571
20 OPzV 2500	3245	3156	3043	2934	2862	2668	2254	1815	3451	3395	3298	3189	3104	2919	2456	1963
24 OPzV 3000	3894	3787	3652	3521	3434	3201	2704	2178	4000	4000	3958	3827	3725	3503	2948	2356

typ	1.65V/ogniwo - rozładowanie w [W]								1.60V/ogniwo - rozładowanie w [W]							
	3'	5'	10'	15'	20'	30'	60'	90'	3'	5'	10'	15'	20'	30'	60'	90'
4 OPzV 200	605	573	511	469	421	363	249	187	641	616	539	491	443	373	250	188
5 OPzV 250	756	716	639	586	526	454	311	234	801	770	674	614	554	466	312	235
6 OPzV 300	862	816	728	668	600	517	354	267	913	878	768	700	632	531	356	267
5 OPzV 350	907	859	767	703	632	544	373	281	961	924	809	737	665	559	374	281
6 OPzV 420	971	938	852	788	731	617	425	340	1048	1008	915	826	769	647	432	341
7 OPzV 490	1133	1094	994	919	853	720	495	396	1222	1176	1068	963	897	755	504	398
6 OPzV 600	1162	1136	1074	1002	966	846	629	498	1299	1255	1152	1077	1002	897	650	501
8 OPzV 800	1830	1767	1589	1491	1390	1233	856	687	2033	1909	1743	1573	1482	1273	874	694
10 OPzV 1000	2045	1977	1798	1685	1572	1416	1026	817	2248	2141	1965	1794	1692	1470	1058	835
12 OPzV 1200	2261	2187	2007	1879	1755	1599	1196	947	2462	2372	2188	2015	1901	1666	1243	975
12 OPzV 1500	2500	2500	2320	2170	2028	1874	1451	1141	2500	2500	2500	2346	2216	1960	1519	1186
16 OPzV 2000	3000	3000	2910	2813	2716	2516	2090	1654	3000	3000	2996	2920	2852	2694	2207	1716
20 OPzV 2500	3839	3752	3638	3516	3395	3145	2612	2068	3989	3880	3745	3650	3565	3368	2759	2145
24 OPzV 3000	4000	4000	4000	4000	4000	3775	3134	2481	4000	4000	4000	4000	4000	4000	3310	2574

ETC Plus S.A.
ul. Drukarska 14
27-400 Ostrowiec Św.
tel.: 41 26 36 811
fax: 41 26 54 443